

Radio Frequency Identification Enabled Business Applications in Supply Chain Management

Diego Klabjan

Abstract—Radio frequency identification is currently in the stage of system integration. Early signs of business applications have emerged such as tracking promotions execution. We explore potential future business applications in supply chain management that rely on data coming from radio frequency identifications. In particular, we discuss one-to-one marketing and inventory management.

I. INTRODUCTION

EVEN though the roots of radio frequency identification (RFID) date back to the Second World War, the widespread adoption occurred only in recent years. Just before the turn of the millennium, the Auto-ID Center at the Massachusetts Institute of Technology was established with the backing of several large corporations. The original focus was in supply chain management and the ability to track goods through a supply chain. The center experimented with applying small microchips or tags (called also transponders) to units of goods. The serial number would be stored on the transponder and other pertinent information could be stored in a large database and linked to the serial number. Readers or interrogators mounted in fixed locations would read the serial number from a transponder by means of radio waves as soon as the transponder moves within the read range of an interrogator. These principles form the basis of modern RFID. Later the potential usage of RFID was expanded beyond supply chain management to other areas such as health care.

After very promising initial experiments and business cases, the true breakthrough occurred in 2003 when Wal-Mart, the largest U.S. retailer, and the U.S. Department of Defense made at that time stunning announcements that in a few years their largest suppliers must ship their merchandise with RFID transponders. Under the mandate, the top one hundred suppliers to Wal-Mart have to tag every pallet shipped to a retailer's distribution center. Most of their suppliers immediately rolled up their sleeves and started studying this relatively new technology. A few month later first case studies appeared and the technology had just entered its first level of maturity, Blossom (2005).

To comply with the mandates, most of the suppliers rushed with the easiest possible approach of applying transponders just before leaving a distribution center or warehouse. As a result, the RFID technology entered its second level of

maturity, known also as slap-and-ship. Clearly in such a business practice the suppliers incur only the cost of tagging with no added value. The sole beneficiary in this case is the retailer by gaining visibility and improving several business processes. The best known and documented benefit is the reduction of out-of-stocks by a stunning 16%, Hardgrave et al. (2005).

With no return on investment for suppliers by using slap-and-ship, it was time to refocus and push the tagging process further upstream in the supply chain. Suppliers gained additional experience either by establishing internal RFID labs or hiring external consultants for further testing and experimenting. Attaching transponders further upstream in the supply chain could yield new untapped benefits such as visibility and traceability. The first step in this direction is to integrate existing enterprise applications with the RFID infrastructure. Many start-up companies offering middleware between interrogators and business applications have come to the market. The technology has entered its third level of application systems integration, which is by now a fairly mature market.

The next milestone towards the widespread RFID adoption and pronounced return on investment is to change, improve, and align business processes in order to take advantage of the new data streams coming from transponders. We are currently in the early stages of this level. Wal-Mart aligned its store replenishment processes to take advantage of RFID reads of cases entering a store backroom and sales floor, and then the box crusher. The consumer pack-aged goods firm Proctor & Gamble improved its sales promotions by using real time data from RFID tagged promotion displays and then changing the underlying business processes to track promotion effectiveness.

The true return on investment and added value of using RFID is in the next level of new business applications that will rely on and exploit the RFID technology. A typical question faced by many suppliers to Wal-Mart is: "We are getting all these data from RetailLink, we have a complete visibility of our shipments to Wal-Mart, but how do we use these data for better decision making?" (RetailLink <https://retailink.wal-mart.com/home> is the online service provided by Wal-Mart to its suppliers. Through RetailLink suppliers can see the status of their shipment, point-of-sale data, etc.) RFID will generate a tremendous amount of new data, especially as the tagging granularity increases from pallets to cases and potentially to item-level tagging. Most companies are currently aligning their processes to account

for this new technology. The next big step, and the one that will provide significant return on investment, is in developing business applications and analytics that can exploit these data. Especially item-level tagging, which is currently in its infancy, provides numerous opportunities for business applications. Tagging at this scale yields additional benefits and a much larger variety of possible business applications.

In this document we discuss selected future business applications and analytic tools relying on RFID generated data. We also lay ground to some modeling principles resulting from this technology. The analysis of such models is yet to be performed except for a few special cases. In the following two sections we first discuss potential new real-time decision support systems. Reads from interrogators provide real-time information and they enable visibility. As a result, RFID data is mostly about real-time execution and operations. Real-time benefits of RFID go beyond supply chain management into the areas such as preventive maintenance and sensors, Heinrich (2005). In the second section we focus on selected business applications and the underlying models. In particular, we consider marketing and promotions, and inventory control.

II. ANALYTICS AND DECISION SUPPORT SYSTEMS

A. *RFID in Supply Chains*

Traditional supply chains rely heavily on forecasts and as a result are mostly based on planning. Companies usually plan their production, distribution, promotions, etc., and these are well understood and studied areas. While recent efforts such as collaborative forecasting, replenishment, and planning help mitigate effects such as the bullwhip effect and risk, they can-not be complete enablers of a true global demand driven supply chain. It is recognized that superior supply chains are agile and adaptable, Lee (2004), however, this is easier said than done. In agile and demand driven supply chains is all about being able to adapt and respond to events. The focus shifts from planning to the actual execution. The supply chains must become event driven and not heavily relying on forecasts. In recent years many firms transitioned their supply chains into a mixture of the push-pull concept. Upstream in a supply chain the goods are pushed, while downstream the chain needs to be demand driven and thus agile, which re-quires employing the pull strategy, Simchi-Levi et al. (2003). When goods are pushed, traditional concepts and strategies are well understood. After all, this is the practice used until recently. The pull strategy is relatively new and it is all about execution and operations. While pulling can be achieved without RFID, this technology definitely facilitates responsiveness and agility and it can therefore be a major player in future demand driven supply chains. It allows real time visibility, tracking, and traceability and it is thus a major enabler for responsive supply chains.

RFID is not about planning, it is about real-time operations

and execution. This paradigm shift from planning to execution must be present also in analytical tools and decision support systems. Only recently has this shift started to materialize. Future software must be able to process RFID reads on the fly as the goods transition, quickly analyze the latest information, perform a decision if necessary, and visualize the outcome or, for example, raise an alert in case of an abnormal flow. The traditional model of querying a “static” database, performing an analysis, and then displaying the outcome is going to be gradually phased out.

B. *Promotions Execution*

This shift can already be observed in several available products of middleware vendors, i.e., software that links interrogators with back-end enterprise systems.

Early experiments with promotions tracking have been very encouraging, Osofsky and Davis (2006), OATSystems (2005). In a sales promotion, a consumer packaged goods company sends promotion displays to stores. On a given day these displays should be put on the sales floor. Many times the displays are not moved on the sales floor on the specified day or even worse, they have not been received by the store. As a result, such a behavior can greatly reduce the efficiency and profitability of the promotion. With real-time visibility provided by an RFID system these inefficiencies can be substantially trimmed. Consider promotion displays tagged with transponders and interrogators installed at receiving doors of stores and at a point between the backroom and the sales floor. By analyzing the RFID reads, it is possible to deduce if a display has been received by the store and moved to the sales floor in a timely fashion. If it has not been received, say a week before the promotion date, then the company could consult the involved store. In addition, if on the promotion date, a store has not moved the display on the sales floor but it remained in the backroom, a company representative might warn the store to remedy the situation. The underlying software package should process accordingly such alerts and possibly suggest recovery steps.

Proctor & Gamble has just finished a very successful pilot by using a promotions management application, Cantwell (2006). Gillette, a division of Proctor & Gamble, found out that 38% of the stores did not execute the promotion correctly. By monitoring the promotion of a stock-keeping-unit (SKU) and taking proactive correction steps, the company observed a 20% sales lift of this item.

There are additional opportunities for RFID enabled decision support systems besides monitoring a promotion. For example, based on the real time inventory availability within the store during a promotion, shipment quantities can be dynamically adjusted in real time. Traditionally these dynamic adjustments are based on the point-of-sales data, which does not guarantee shelf or backroom availability of the promoted SKU.

C. Sales Floor Applications

In a retail environment, several other decision support systems could emerge. By continuously monitoring and tracking items as they are moved to the sales floor and when cases are eventually crushed additional added value can be obtained. Some obvious candidates such as performing the on-shelf availability quickly have already been discussed in various publications.

A more advanced application on the horizon could be in handling a product rotation, in particular for produce and other perishable products in a grocery store. Many products, and especially produce, require a carefully managed rotation due to spoilage. Merchandise close to their expiry date is often markdown due to the reduced visual appeal, customer service, or possible regulatory issues. If an RFID system is operational, then it is possible to have an accurate picture of all the items in the backroom and sales floor. With every item an expiry date is associated, which can be read by an interrogator at any point in time and location. A business application should, in real time, display the current age of all the available products, including those on the sales floor, and next analyze these numbers to spot anomalies, provide statistical information on age, and give the item locations. A decision support system could also suggest which product to put next on the sales floor, and suggest a markdown price on a soon to be-come spoiled product.

Another area calling for an improvement over the current state of the art is in-store replenishments. In most of today's stores, an employee walks up and down the store aisles and creates a picklist, possibly with a wireless handheld device. In many cases the device is not even connected with the information system tracking backroom availability. Such a process is prone to errors and inefficiencies, from erroneously estimating the required quantities, to incorrect availability in the backroom. Clearly a significant amount of time is spent on creating the list. Let us now assume that tagged cases of products are received and interrogators are installed on the receiving docks and between the backroom and the sales floor. First, the backroom inventory count can easily be captured at any point in time by the corresponding information system. By using the information from the number of received items, the number of items moved from the backroom to the sales floor, and the point of sale data, a picklist can be created. From these data the number of items on the sales floor can be calculated and, for example, a simple threshold policy can be easily employed. Apparently such a proactive picklist creation process is already in place at selected Wal-Mart stores. An RFID enabled application should gather all this information and automatically create the picklist and the corresponding reorder quantities. These can clearly be dynamically adjusted to account for the differences in demand patterns. Even more, the application could monitor on-shelf and backroom availability and alert if a stock-out is to happen. It can also recommend backroom and shelf replenishments concurrently before a critical

inventory level occurs.

An alternative to the presented strategy for shelf inventory monitoring would be to employ smart shelves. In such a situation, item-level tagging is required and each shelf has its own interrogator that at any point in time keeps track of the corresponding shelf inventory. Such a deployment is much more costly and at present, due to the relatively high cost of transponders, unacceptable for many items. The sole exceptions are high value items such as DVDs and CDs. However, additional benefits beyond replenishments are possible. By monitoring what consumers pick from shelves and then return on the shelf or buy, valuable marketing research data would be available.

III. BUSINESS APPLICATIONS

While traditional planning based models are abundant and their adoption in business applications is widespread, stepping down to the execution level requires different models, tools, and approaches. It also creates new challenges such as robustness, the need for rule engines, and tractability of the underlying models and methodologies. We next elaborate on several applications, where real-time decision support systems driven by RFID data can have a major impact.

A. One-to-one Marketing

In one-to-one marketing, marketing material is targeted and customized for a particular consumer and it therefore takes into account his or her particular individual needs. As such, it focuses on economies of scope rather than scale. While selected forms, e.g., mail-in catalogs, of one-to-one marketing date back many years, it is in the past few years that it gained much traction due to advances in information technology. Consumer tailored email marketing, see e.g., Byron (2005), and cross selling through customized web sites, (Amazon.com is considered a pioneer in this area) are now established marketing practices.

In its infancy are one-to-one marketing opportunities exploring the near field communication (NFC) protocol, which enables secure short range communication among devices such as cellular phones and terminals. So called contactless smart cards (e.g., payments are made by simply waving the card) are slowly penetrating the market. In particular, cellular phones are well suited for performing one-to-one marketing tasks. Consider, for example, a payment made by using an NFC enabled cellular phone. During the payment communication, the vendor's NFC enabled terminal can easily pass along a web site link with promotional material. Trials have also been performed on establishing communication between a billboard and a passing by consumer carrying a cellular phone. Other applications are listed in O'Connor (2006).

Another, well established and more traditional form of one-to-one marketing, used by high-low pricing retailers are coupons. We do not mean manufacturer coupons (e.g., peel-

off or in box coupons, or coupons distributed by newspapers or magazines), but coupons distributed by the retailers. Using scan or point of sales data, retailers can target coupons to individual consumers. A big limitation of such a strategy is the fact that the coupons are distributed to a consumer either before the actual shopping experience (mail-in coupons), or after the shopping trip, i.e., during the checkout process. So far one-to-one marketing during the actual shopping experience has been elusive. The potential revenue increase can be substantial since approximately 60% of the purchasing decisions by consumers in grocery stores are made in the store.

RFID enables coupon distribution during a shopping trip. Consider a store employing item-level tagging together with smart shelves. Such a prototype store has already been built in Rheinberg, Germany, www.future-store.org, by Metro, a German retailer. Interrogators mounted on shelves can query the items already purchased by a consumer that are in the shopping cart. An interrogator reads the already purchased items of the consumer by interrogating the tags attached to these items in the shopping card. Based on this information, a different device with a display, attached in the vicinity of the shelf in question, can then issue coupons to the consumer and shows her a good route in order to redeem the coupons. Let us assume that the consumer has already purchased cheese. If the store has selected wine brands on pro-motions, the display might issue to the consumer the associated coupons and show him or her where in the store to find the promoted brands. (We assume that purchases of cheese and wine are highly correlated.) If based on the current basket of the consumer, other related brands in various categories are on promotions, several coupons can be given and the corresponding route showing the consumer how to navigate through the store can be displayed. Clearly, in a potential implementation of this strategy, only selected locations (frequently visited and sufficiently far from the store entrance) in the store should have the coupon issuing capability.

We next outline the underlying modeling framework (details and further extensions are given in Klabjan and Io (2006)). Consider a consumer k at time or shopping trip t . Most of the modern stores have loyalty programs and we consider that the consumer is part of the loyalty program. As a result, past purchases of consumer k are available. Let us assume that she is standing in front of a coupon issuing display. Her current items in the shopping cart are read by the interrogator and let S_{tk} be the set of all categories purchased so far, i.e., those categories that are in the shopping cart. We want to estimate the probability $prob_{tki}(S_{tk})$ of an impulse purchase from category i given S_{tk} . By using the multivariate logit model adopted from Russell and Petersen (2000) and Boztug and Hildebrandt (2005) to suit our purpose we have

$$prob_{tki}(S_{tk}) = \frac{1}{1 + e^{Z_{tki}(S_{tk})}}, \quad (1)$$

$$Z_{tki}(S_{tk}) = \beta_i + Mix_{tki} + HH_{tki} + \sum_{j \in S_{tk}, j \neq i} Q_{tkj},$$

where β_i is the category dummy variable, Mix_{tki} denotes the market mix variables (e.g., price), HH_{tki} is the consumer specific contribution (e.g., loyalty, time since the last purchase), and Q_{tkj} is the cross category parameter. If the consumer is not enrolled in the loyalty program, then attributes such as HH_{tki} are not considered and the consumer index is dropped in (1).

Russell and Petersen (2000) suggest using

$$Mix_{tki} = \gamma_i \ln(price_{tki}),$$

$$HH_{tki} = \delta_1 \ln(time_{tki} + 1) + \delta_2 \ln\left(\frac{n_{tk} + 0.5}{n_k + 1}\right), \quad (2)$$

$$Q_{tkj} = \delta_{ij} + \gamma size_k.$$

Here $price_{tki}$ is the average price of the products in category i purchased over a period of time, $time_{tki}$ is the time since the last purchase, n_k is the number of purchases made so far by consumer k , n_{tk} is the number of purchases from category i , and $size_k$ is the average basket size of consumer k . All of the parameters such as $\beta_i, \gamma_i, \delta_1$ are computed by using standard multinomial logit maximum likelihood estimation.

In order to find which coupons to display and to compute the suggested route, we maximize the total expected profit subject to not stretching the shopping time too much. Let $price_{ti}$ be the average price of products on promotion in category i during the trip at time t , and let s_{ij} be the estimated travel time from category i to category j . Note that these times can be easily computed from the store layout. The proposed model is to find a subset $U \subseteq C$ such that

$$\max \sum_{i \in U} prob_{tki}(S_{tk}) \cdot \overline{price_i}$$

$$\sum_{i \in U, j \in U} s_{ij} \leq \alpha_{tk}. \quad (3)$$

The set of all categories with a promotion is denoted by C and α_{tk} is the parameter controlling the added shopping time. Optimization problem (3) is a well studied problem, known also as the orienteering problem, and several efficient heuristics and exact algorithms have been proposed in the past, [Fischetti et al. \(1998\)](#), [Feillet et al. \(2001\)](#).

A business application based on these concepts would compute the necessary parameters required in (1) and (2) in predetermined intervals, e.g., overnight. During a shopping trip of a consumer, when a stop is made before a display, either the main server or an embedded device could solve (3) by a fast heuristic and issue accordingly the coupons to the consumer and recommend the computed route.

As we have already eluded, coupons should not be given

too often since it would have a negative annoying impact on consumers. A few selected locations need to be considered. This location selection process can be facilitated if the shopping cards are RFID enabled as well. In such a case, a transponder is embedded in a shopping card and the interrogators (either on the shelves or implanted in the floor) can also compute the route of the consumer before reaching the current shelf. Tracking shopping cards with RFID has already been experimented with, Sorensen (2003), Larson et al. (2005).

B. Inventory Control

Complete visibility upstream and downstream in the supply chain leads to interesting new inventory models and potential resulting business applications.

1) Upstream Visibility

One of the first benefits of RFID tagging for Wal-Mart was the visibility of shipments within their own supply chain. The pallets are for the first time read as they enter the distribution center and then they are tracked until they are crashed at a box crusher in a store. There are clear low hanging benefits of such a visibility, from chargeback settlements to streamlining warehousing operations. However, a potentially greater benefit could be in using the RFID data to streamline replenishment policies. The current replenishment policies would be replaced with much more robust and dynamic policies. Consider placing a replenishment order by considering a quoted or estimated lead time. A few days after, through RFID data reads, we know the precise location of the order within the supply chain. Suppose that the order due to unexpected disruptions is further upstream than we have anticipated. Then we can be proactive in several possible ways. We can

- expedite the order in the supply chain, or
- we can place an emergency order, or
- we can place a new regular order sooner than we would have otherwise.

On the other hand, if the order is to arrive earlier than anticipated, we can potentially postpone the next replenishment order.

The work by [Song and Zipkin \(1996\)](#) provides a modeling framework for such options. The presented model is adopted to fit our RFID setting. Let us focus on a single product by a firm who is using a single supplier and faces exogenous stochastic demand. We assume a periodic review setting and backlogging.

Whenever the firm places an order, the order enters the supply chain. As time progresses, the order moves in the supply chain, which has a given finite number of intermediate stages, e.g., major production processes, distribution centers, ports, etc. The stages can be arranged in a linear sequence so that an order always moves from a stage to any downstream stage. Clearly the order can stay put at a stage. In order to model the stochastic lead time, an order moves from one stage to another downstream stage, which is selected randomly based on a given distribution. In our RFID

world, the supplier affixes transponders to an order and the stages represent locations of readers and the corresponding read events. Through the reads, the firm knows at any point in time in which stage the order is located.

To formalize this concept, let us assume there are n stages labeled from 1 through n . We also assume that placing the actual order corresponds to being at stage 0, i.e., stage 0 represents that the order enters the supply chain. Similarly, we add stage $n+1$ corresponding to the event of the order arrival to the final destination.

In order to model this as a dynamic program, we define

R_t = inventory on hand at time t ,

\hat{R}_{tk} = amount of the outstanding orders at time t and stage k ,

X_t = the procurement quantity.

The first two quantities above describe the state space and the last one corresponds to the decision of placing an order. Figure 1 shows the main concept. For ease of notation we

define $\hat{R}_t = \left(\hat{R}_{tk} \right)_{k=0}^{n+1}$.

In order to model stochastic transitions, we introduce a random variable W_t . For each realization w_t of W_t there is a transition matrix $M(w_t)$ that specifies where outstanding orders at a stage transition next. This matrix has $n+2$ rows and columns and it encodes the transitions. In Figure 1 we show two such possible transitions. Self loops correspond to the events that the outstanding order stays put at the stage. For example, under the top realization we have (4) and under the bottom realization we obtain (5).

$$\hat{R}_{t+1,n+1} = \hat{R}_{t3} + \hat{R}_m \quad (4)$$

$$\hat{R}_{t+1,3} = \hat{R}_{t1} + \hat{R}_{t2} \quad (5)$$

In order to set up the well known optimality equation for dynamic programs, we introduce the value or cost-to-go function V_t . The value $V_t(R_t, \hat{R}_t)$ corresponds to the minimum expected cost from time period t onwards given that at time period t the current inventory on hand is equal to R_t and the outstanding orders correspond to vector \hat{R}_t . Let D_t be the stochastic demand at time period t and we assume linear holding and backlogging cost. In addition, the procurement cost has a fixed cost component, which is stationary in time, and there is also variable procurement cost. Let $E^{(D_t, W_t)}$ denote the expectation with respect to the two random variables.

The optimality equation reads

$$V_t(R_t, \hat{R}_t) = \min_{X_t \geq 0} \left\{ c_t(X_t) + E^{(D_t, W_t)} \left[h_t \left(R_t + \left(M(W_t) \hat{R}_t \right)_{n+1} - D_t \right) + V_{t+1}(R_{t+1}, \hat{R}_{t+1}) \right] \right\}, \quad (6)$$

where the procurement and holding cost components are defined as

$$c_t(X_t) = \begin{cases} 0 & X_t = 0 \\ K + \bar{c}_t X_t & X_t > 0, \end{cases}$$

$$h_t(\bar{X}_t) = \bar{h}_t(\bar{X}_t)^+ + \bar{p}_t(-\bar{X}_t)^+,$$

and the systems dynamics as

$$R_{t+1} = R_t + \left(M(W_t) \hat{R}_t \right)_{n+1} - D_t,$$

$$\hat{R}_{t+1} = M(W_t) \left(\hat{R}_t + X_t e_0 \right).$$

Here e_0 denotes an $n+1$ dimensional vector with all zeros except a 1 as the first coordinate and the subscript $n+1$ denotes the $n+1$ 'th coordinate of the underlying vector.

By analyzing (6), [Song and Zipkin \(1996\)](#) were able to show after some mild assumptions (the most important is the non crossing order property, which imposes that the outstanding order transition matrices M inflict that the orders do not cross in time) that the optimal ordering policy satisfies the (s, S) property with respect to the inventory position. Formally, let the inventory position be defined as

$\bar{R}_t = R_t + \sum_{k=0}^{n+1} \hat{R}_{tk}$. Then in every time period there are two numbers s_t and S_t , $s_t \leq S_t$, such that if $\bar{R}_t > s_t$, then we do not place an order and otherwise we order $S_t - \bar{R}_t$.

A future business application can exploit the presented model on a rolling horizon basis. We first compute V_t over a certain horizon by estimating the unknown distributions. Next, from the RFID data, we obtain the inventory position and the application recommends a replenishment quantity. Periodically, again based on the RFID data, which give us the exact knowledge of the past flow of goods and the time spent at each stage, we update the transitions matrices of outstanding orders and recompute the value function.

2) Visibility of Distribution Channels

While in the previous section we discuss a model and business applications as they relate to retailers or manufacturer, here we focus on the other side of the chain, i.e., suppliers who tag their products and therefore gain complete visibility into their distribution chain. Much too often stories have been written about slap-and-ship. A supplier to a retailer who had imposed an RFID mandate, in order to comply with the requirement, applies transponders to pallets or cases just before they leave the distribution facility and bound to the retailer. Clearly, there is no added value to the supplier under such strategy unless the supplier takes advantage of the visibility in the distribution channel. The return on investment for the supplier is possible in two ways.

- The supplier can apply transponders earlier in its own supply chain. Potentially the tagging process can be pushed all the way back to production. But even pushing it back within the distribution facility can yield benefits. These benefits include improved putaway and picking, shipping accuracy, automated advance shipping

notification, simplified settling of chargebacks, and many more (see, e.g., the report by [Symbol Technologies \(2004\)](#)).

- Based on the visibility of shipments, better decision making can be made and thus benefits can be gained even by slap-and-ship. Consider a shipment that is expected to arrive at a store backroom in five days, but it is stalled in a distribution center of the retailer for several days and therefore it is anticipated not to arrive within the predicted five days. The supplier can then accelerate the next shipment, even though originally it was planned to occur a few days from now. Many retailers already provide systems to exchange RFID data, e.g., Wal-Mart's RetailLink and Target's Partners Online (See <https://retailink.wal-mart.com/home> for RetailLink and <http://www.partneronline.com> for Partners Online.) are two such services.

Clearly an optimal strategy is the best of the two worlds. While many firms have realized the benefits of the former, the latter is yet relatively untapped. Consider the following case of Ballantine Produce Co. that sells produce to Wal-Mart and even though not falling under the mandate, it tags its shipments. As a result the company is able to see the status of every single container through RetailLink. However, the company is yet to determine how to use these data, [Douglas \(2005\)](#).

We next show how a business application can use these data. Consider a supplier who ships its product to a retailer. As before, it is assumed that every shipment goes through several stages (each stage corresponding to a transshipment point or a distribution center, a backroom, a sales floor, etc.). RFID interrogators are installed at these points and therefore at any point in time the supplier knows the location of every single shipment. The retailer's demand is stochastic as are the movements among the different stages. We assume that the orders can be shipped only once a day, i.e., a periodic review setting with a finite number of time periods.

We again model the problem as a dynamic program where the decision to be made is how much to ship and to procure on a given day. The latter can easily be neglected if so required. For simplicity we assume that there is no lead time on the procurement side. We assume that stage 0 denotes the entering point of the distribution chain and stage $n+1$ the point-of-sale event. Thus there are n intermediate physical locations where the reads happen, Figure 2.

The holding cost is accrued only at the supplier, i.e., the firm in question, and a backlogging penalty applies as well. In order to capture the state of the system, we need the following three state variables:

$$R_t = \text{inventory on hand at time } t,$$

$$\hat{R}_{tk} = \text{shipment amount at time } t \text{ and stage } k,$$

$$\tilde{R}_t = \text{the available amount at the last stage, i.e.,} \\ \text{at the point-of-sale location.}$$

The third variable is required in order to capture the penalty

cost. There are two decision types: how much to ship and how much to procure. We denote them as

X_t = the amount to ship at time t ,

Y_t = the amount to procure at time t .

As before we denote $\hat{R}_t = \left(\hat{R}_{tk}\right)_{k=0}^{n+1}$. The transitions of shipments are governed by a random variable W_t . Each realization w_t of W_t imposes a transition matrix $M(w_t)$, which specifies the next location of outstanding shipments.

If V_t is the value function, then the optimality equation reads

$$V_t(R_t, \hat{R}_t, \tilde{R}_t) = \min_{\substack{X_t \geq 0, Y_t \geq 0 \\ X_t \leq R_t + Y_t}} \left\{ \begin{array}{l} c_t(Y_t) + s_t(X_t) \\ + E^{(D_t, W_t)} \left[\begin{array}{l} \bar{h}_t R_{t+1} + \\ \bar{p}_t (-\tilde{R}_{t+1})^+ + \\ V_{t+1}(R_{t+1}, \hat{R}_{t+1}, \tilde{R}_{t+1}) \end{array} \right] \end{array} \right\}. \quad (7)$$

The procurement cost function is denoted by c_t and the shipping cost function by s_t . As before \bar{h}_t and \bar{p}_t denote the per unit holding and penalty cost, respectively. The system dynamics are

$$R_{t+1} = R_t + Y_t - X_t,$$

$$\hat{R}_{t+1} = M(W_t) \left(\hat{R}_t + X_t e_0 \right),$$

$$\tilde{R}_{t+1} = \tilde{R}_t + \left(M(W_t) \hat{R}_t \right)_{n+1} - D_t.$$

Note that $R_{t+1} \geq 0$.

Based on (7) an optimal policy could be computed. To the contrary to the model presented in the previous section, this model has not yet been analyzed and therefore the structure of the optimal policy is not known.

In a business application, this model can be used in a similar way. A business application based on this model could significantly contribute to the bottom line of many suppliers to retailers. It would give a valuable analytical and decision making tool to Ballantine Produce Co., the company mentioned earlier.

REFERENCES

- [1] Blossom, P. (2005). Levels of RFID Maturity. *RFID Journal*, January.
- [2] Boztug, Y., and Hildebrandt, L. (2005). *A Market Basket Analysis Based on the Multivariate MNL Model*. In 34th EMAC Proceedings - Rejuvenating marketing: contamination, innovation, integration, Milan, Italy. Available at <http://opus.zbw-kiel.de/volltexte/2004/1633/>.
- [3] Byron, E. (2005). Subject: Email ads grow up. *The Wall Street Journal*, November, 23.
- [4] Cantwell, D. (2006). *RFID R&D Opportunities and the Supply Chain*. Presentation given at the first RFID Academic Convocation, Massachusetts Institute of Technology, Cambridge, MA.
- [5] Douglas, M. (2005). RFID Bears Fruit. *Inbound Logistics*, June.
- [6] Feillet, D., Dejax, P., Gendreau M. (2001). *Traveling Salesman Problems with Profits: An Overview*. Technical report. Available at <http://citeseer.ist.psu.edu/feillet01traveling.html>.
- [7] Fischetti, M., Gonzalez, S., and Toth, P. (1998). Solving the Orienteering Problem through Branch-and-Cut. *INFORMS Journal on Computing* 10, 133-148.
- [8] Hardgrave, B. C., Waller, M., and Miller, R. (2005). *Does RFID Reduce Out of Stocks? A Preliminary Analysis*. Technical report, Information Technology Research Institute, University of Arkansas, Fayetteville, AR. Available at <http://itri.uark.edu>.
- [9] Heinrich, C. (2005). *RFID and Beyond: Growing your Business through Real World Awareness*, John Wiley & Sons.
- [10] Klabjan, D., and Io, F. (2006). *In-store One-to-one Marketing*. Technical Report, University of Illinois at Urbana-Champaign, Urbana, IL. Available at <http://netfiles.uiuc.edu/klabjan/www>.
- [11] Larson, J., Bradlow, E., and Fader, P. (2005). An Exploratory Look at Supermarket Shopping Paths. *International Journal of Research in Marketing* 22, 395-414.
- [12] Lee, H.L. (2004). The Triple-A Supply Chain. *Harvard Business Review*, October issue, 102-112.
- [13] OATSystems. (2005). *Real-time Promotion Execution*, Technical report. Available at <http://www.rfidjournal.com/whitepapers/download/125>.
- [14] O'Connor, M.C. (2006). RFID gets personal. *RFID Journal*. Available at <http://www.rfidjournal.com/article/view/2233/1/3/>.
- [15] Osofsky, M., and Davis, L. (2006). *Real-Time Promotion Execution: Improving Promotions Performance With RFID*, Technical report. Available at <http://www.rfidsolutiononline.com/content/news/article.asp?docid=3bb79856-48e1-41cd-9e31-a4b46e193e20>.
- [16] Russell, G.J., and Petersen, A. (2000). Analysis of Cross Category Dependence in Market Basket Selection. *Journal of Retailing* 76, 367-392.
- [17] Shapiro, J. (2000). *Modeling the Supply Chain*. Duxbury Press.
- [18] Simchi-Levi, D., Kaminsky, P., and Simchi-Levi, E. (2003). *Designing and Managing the Supply Chain*. Mc-Graw Hill.
- [19] Song, S., and Zipkin, P. (1996). Inventory Control with Information about Supply Conditions. *Management Science* 42, 1409-1419.
- [20] Sorensen, H. (2003). The Science of Shopping. *Marketing Research* 15, 30-35.
- [21] Symbol Technologies. (2004). *Business Benefits from Radio Frequency Identification (RFID)*. Technical report. Available at <http://www.symbol.com/assets/files/RFIDBenefits.pdf>




Figure 1: Two possible outstanding order transitions




Figure 2: The flow of shipments